ITCertifyhome.com

The Only Way to get Certified Quickly.

Exam :1Y0-220
Title:Citrix MetaFrame XP
Version Number:March,2003

You are now prepared to pass your exam. This ITCertifyhome will provide you with all the knowledge about the real certification exams. We hope you will take full advantage of this tool.

The Use of this ITcertifyhome is strictly for the purchaser. Illegal dissemination is harmful to everyone. So be fair to yourself and us.

For Support, please go to ITcertifyhome.com and click on "Support" link.

For future updates to this ITcertifyhome, please check our website at
http://www.ITcertifyhome.com/Login.asp

If the version number has changed for this file, you can download the updated file.

Get ITcertifyhome Product...Get your Certified...
And Get your career moving!

Study Faster. Study Smarter.
Save Time.Save Money.

QUESTION NO: 1
What are restrictions of ICA session shadowing? (Choose two)

A. Only one administrator can shadow a single user.
B. MetaFrame XP users cannot be shadowed from sessions on another MetaFrame XP server.
C. An administrator cannot shadow another user if that user is connected via an RDP client.
D. The window size and color depth of the ICA connection being shadowed must be less than or equal to that of the ICA connection requesting permission to shadow.

Answer: C, D
Shadowing is limited only to the current server farm the administrator is currently logged into.
RDP sessions canne be shadowed by citrx admin tools (C).
Shadowing can be used across metaframe servers (not B).

QUESTION NO: 2
What license information is true concerning MetaFrame XP? (Choose two)

A. Assigned licenses are not used before pooled licenses.
B. A MetaFrame XP license does not have to be activated in order to use Load Manager.
C. Unactivated evaluation licenses cannot be assigned.
D. Assigned licenses are used before pooled licenses.

Answer: C, D

QUESTION NO: 3
Which of the following is the Citrix Management Console's default Refresh settings?

A. 30 seconds.
B. By default, Automatic refresh settings are not enabled.
C. 60 seconds.
D. 5 minutes.

Answer: B

QUESTION NO: 4

Under Load Evaluator, the "memory usage" rule _____.

A. Controls memory per processor on a server.
B. Allows you to change the pool-paged bytes.
C. Sets a low and high threshold for the memory usage percentage.
D. Defines the amount of memory that can be used by load balanced applications.

Answer: C

QUESTION NO: 5
Which of the following is NOT an ICA Web client?

A. Java
B. Active X Control.
C. Netscape Plug-in.
D. Macintosh Plug-in.

Answer: D

QUESTION NO: 6
On what operating systems can Citrix Management Console be installed? (Choose two)

A. WinFrame 1.8
B. Windows ME
C. Windows NT 3.51
D. Windows NT 4.0 Workstation

Answer: B, D
Officially Citrix XP MetaFrame is certified for use on Windows 2000 Professional, Windows 2000 Server, Windows 2000 Advanced Server, Windows 2000 Datacenter Server, and Windows XP. In practice it works on Windows 98 and Windows ME systems as well.

QUESTION NO: 7
Choose the correct statement from the options below:

A. MetaFrame XP should be installed after you have installed your applications.
B. Disable logons to a MetaFrame XP server before installing an application.
C. There are two types of application compatibility scripts.

D. When installing applications on your MetaFrame XP server, make sure that at least one remote ICA connections is active.

Answer: B

QUESTION NO: 8
What are NFuse features? (Choose two)

A. Connections via IPX.
B. Cookie encryption.
C. Client side scripting.
D. Secure Socket Layer.

Answer: B, D

QUESTION NO: 9
Client LPT mapping is available for all clients except?

A. UNIX
B. MAC
C. DOC
D. WIN 16

Answer: B

QUESTION NO: 10
What ICA Clients does Program Neighborhood support natively? (Choose two)

A. JAVA
B. UNIX
C. DOS 32
D. WIN 16
E. WIN 32

Answer: A, E

QUESTION NO: 11
What should be considered to determine the hardware required to run your MetaFrame XP ser ver? (Choose three)

A. User departments.
B. User locations.
C. Number of users.
D. Types of applications.
E. User product knowledge.

Answer: B, C, D

QUESTION NO: 12
Select the two accurate statements from the below list:

A. Last Known Good Configuration consists of the registry settings used by the server during the last successful logon.
B. The Last Known Good Configuration is stored in the Citrix data store.
C. Last Known Good Configuration is a component of the Current Startup Configuration.
D. Your MetaFrame XP does not use the Last Known Good Configuration.

Answer: A, C

QUESTION NO: 13
What logs would you NOT find in the Security log of your MetaFrame XP server?

A. Accounts Management.
B. Logon Events.
C. Policy Change.
D. Clients passwords.

Answer: D

QUESTION NO: 14
What MetaFrame XP utility would you use to configure connections to run in disconnected state?

A. Citrix Management Console.
B. Citrix Server Administration.

C. Citrix Connection Configuration.
D. Citrix Published Application Manager.

Answer: C

QUESTION NO: 15
What statements are accurate? (Choose two)

A. You will save hard drive space of you disable the disk cache for bitmaps.
B. If a connection has limited bandwidth, enabling the disk cache for bitmaps will further decrease performance.
C. Queue Mouse Movements and keystrokes are never selected by default in Program Neighborhood.
D. The ICA Client does not need to have a sound card configured in order to select Enable Sound.

Answer: A, C

QUESTION NO: 16
A user accessing an NFuse-enabled Web page sends credentials via _____-

A. ICA
B. HTTP
C. LDAP
D. XML

Answer: B

QUESTION NO: 17
Choose the correct statement:

A. If you cancel the ICA Client Distribution Wizard during the installation of MetaFrame XP, no MetaFrame XP services will be installed and will to reinstall MetaFrame XP.
B. If you cancel the ICA Client Distribution Wizard during the Installation of MetaFrame XP, the installation of MetaFrame XP will continue without problems.
C. You cannot cancel the ICA client distribution Wizard during the installation of MetaFrame XP.
D. The ICA client Distribution Wizard does not install the installation of MetaFrame XP.

Answer: B

QUESTION NO: 18
In Load Manager, how many minutes does each Scheduling rule square represent?

A. 15
B. 30
C. 45
D. 60
E. 90

Answer: B

QUESTION NO: 19
When a print driver is mapped, where is the mapping placed?

A. Data store.
B. Server registry.
C. The client device.
D. %systemroot%Winnt\system32\drivers.

Answer: A

QUESTION NO: 20
Which if the following are NOT valid ICA Port numbers? (Choose two)

A. 65535
B. 655536
C. 650
D. 6500
E. 650000

Answer: B, E

QUESTION NO: 21

Which of the following is the function of the ICA Pass-through client?

A. It allows an ICA client to access a MetaFrame XP server on a different subnet without configuring and ICA gateway.
B. It allows non-programs neighborhood clients to access program neighborhood.
C. It allows the program neighborhood clients to access program neighborhood.
D. It allows the ICA license for a MetaFrame XP server to pass-through to a MetaFrame 1.x server.

Answer: B

QUESTION NO: 22
What is generated each time a SecureICA Connection is made to a MetaFrame XP server?

A. MS-CHAP
B. Private Key.
C. Diffie-Hellman Parameters.
D. Kerberos V5 key.

Answer: B

QUESTION NO: 23
Which statement is accurate?

A. MetaFrame XP server drive letters are automatically remapped during the installation process.
B. The Client floppy drive is the only drive that CANNOT be mapped on the MetaFrame XP server.
C. During the reassigning of drive letters, all drives are reassigned except drives A and B.
D. In Drive Mapping, the client machine and MetaFrame XP server can share the same drive letters.

Answer: C

QUESTION NO: 24
What command is used to change the ICA client device mapping?

A. Change client.

B. Configure client.
C. Change device /client.
D. Map client.

Answer: A

QUESTION NO: 25
Where are the Citrix print driver mappings maintained? (Choose two)

A. WTSPRNT.INF
B. WTSUPRN.INF
C. PRINTMON.INF
D. PRINTER.INI

Answer: A, B

QUESTION NO: 26
Define the option "Prohibit shadow connections without logging."

A. Anonymous users in the current domain cannot be shadowed.
B. An event is added to the ICA Client Log when the user is shadowed.
C. An event is added to the Event Log whenever shadowing is performed.
D. Anonymous users connecting from other domains cannot be shadowed.

Answer: C

QUESTION NO: 27
Active Server Pages can be used with which Web Site Layout?

A. Server-based.
B. ServerSide-based.
C. Scripting-based.
D. Template-based.
E. All of the above.

Answer: B

QUESTION NO: 28
By default, who has access to shadow ICA connections? (Choose two)

A. Administrators
B. Guests
C. Everyone
D. System

Answer: A, D

QUESTION NO: 29
During the MetaFrame XP installation, you select "Work with legacy MetaFrame servers in the farm." Which of the following is correct?

A. License sharing and application load balancing between MetaFrame XP and MetaFrame 1.8 servers is possible.
B. MetaFrame 1.8 servers can be managed with the Citrix Management Console.
C. MetaFrame 1.8 servers are allowed to join the MetaFrame XP farms.
D. MetaFrame 1.8 servers are allowed to join the MetaFrame XP farm, but only license sharing and application load balancing between Independent Management Architecture (IMA) servers are enabled.

Answer: A

QUESTION NO: 30
What statements are accurate? (Choose two)

A. Windows NT Server 4.0, Terminal Server Edition, does not automatically install the required SQL ODBC compliant drivers.
B. Windows NT Server 4.0, Terminal Server Edition, automatically installs the required SQL ODBC compliant drivers.
C. Windows 2000 Server automatically installs the required SQL ODBC compliant drivers.
D. Windows 200 Server does not automatically install the required SQL ODBC compliant drivers.

Answer: A, C

QUESTION NO: 31
How would you move MetaFrame XP server to another farm1?

A. From the Citrix Management Console, right lick the Server Node and click Remove Server from Farm.
B. Open a Command Prompt and use the Change Farm command.
C. Right click the Program Neighborhood and select Remove Farm.
D. The only way to remove a MetaFrame XP server from the farm is to uninstall the MetaFrame XP software.

Answer: B

QUESTION NO: 32
Which statement is NOT true about MetaFrame XP's direct asynchronous ICA connection capability?

A. All file transfers and network browsing is done within the direct asynchronous connection.
B. Direct asynchronous connections use Remote Access Service to connect to the MetaFrame XP server.
C. Direct asynchronous connections are not supported on ISDN modems.
D. Only modems that comply with telephony applications program interface (TAPI) will be automatically detected when configuring a asynchronous connection.

Answer: B

QUESTION NO: 33
What statement best describes the definition of an ICA Client printer?

A. A printer that is connected to the MetaFrame XP server locally and is available to any ICA client device.
B. A printer that is configured to operate on many different ICA client devices.
C. A printer that is shared on the network by Windows 2000 servers and allows full control to all ICA clients.
D. A printer that is connected directly to the ICA client device and available through an ICA session.

Answer: D

QUESTION NO: 34
Which statement describes the default printer mapping function?

A. The default printer on the client workstation is set to match the default printer in the local host cache.
B. The default printer in the MetaFrame XP session is set to match the default printer setting in the user profile.
C. The default printer on the client workstation is set to match the default printer in the MetaFrame XP session.
D. The default printer in the MetaFrame XP session is set to match the default printer on the client workstation.

Answer: D

QUESTION NO: 35
What statements are accurate? (Choose two)

A. MetaFrame XP servers can join an existing MetaFrame 1.8 server farm.
B. MetaFrame XP servers cannot join an existing MetaFrame 1.8 server farm.
C. In MetaFrame XP, a modem cannot be configured for both RAS and dial-in asynchronous connections.
D. In MetaFrame XP, a modem can be configured for both RAS and dial-in asynchronous connections.

Answer: B, C

QUESTION NO: 36
Which statement is NOT true about the ICA Protocol?

A. ICA transfers an application's logic to the client device where it is interpreted by the ICA client software.
B. ICA enables DOS PC's to access 32-bit applications running on a MetaFrame Server.
C. ICA is the remote presentation services protocol used by MetaFrame.
D. ICA enables thin client devices to access applications running on a MetaFrame Server.

Answer: A

QUESTION NO: 37
Citrix Management Console requires at least which if the following for installation? (Choose two)

A. 60MB of hard disk space.
B. 25MB of hard disk space.
C. 32MB of RAM.
D. 64MB of RAM.

Answer: B, D
The Citrix Management console requires 25MB of disk space and 64MB of RAM.

Reference: MetaFrame XP Administrators Guide, Page 24

QUESTION NO: 38
Client printers are autocreated for all ICA Clients except _____ and _____.

A. UNIX
B. Java
C. WinCE
D. DOS 16-bit.
E. Macintosh

Answer: C, D

QUESTION NO: 39
What are the two types of applications to which all ICA Clients can connect?

A. Seamless Applications.
B. Published Applications.
C. Published Videos.
D. Server Applications.

Answer: B, D

QUESTION NO: 40
You want your users to access full Program Neighborhood functionality, out they all have Netscape Plug-ins. How can you provide Program Neighborhood functionality?

A. Update the hyperlinks on the Web page.
B. Install NFuse and update the Web clients.
C. Place application set icons on the users' desktops.
D. Write a Web server script to run only the Program Neighborhood client features.

Answer: C

QUESTION NO: 41
By default how many Citrix administrators accounts are created after MetaFrame XP is installed?

A. NONE
B. One
C. Two
D. Three
E. Four

Answer: B

QUESTION NO: 42
Once the ICA Packet is encapsulated within the necessary drivers, which layer of the OSI Model sends it to the ICA client?

A. Application
B. Physical
C. Presentation
D. Transport
E. Network

Answer: D

QUESTION NO: 43
What command would you use to change the ICA port number from its default of 1494 to port 2001?

A. CHANGE MetaFrame XP PORT #2001.
B. EDIT ICA PORT /2001.
C. PORT CHANGE /2001
D. MODIFY ICA PORT /2001.

E. ICAPORT /PORT 2001.

Answer: E

QUESTION NO: 44
What statements are correct (Choose two)

A. All servers in the server farm that use Load Balancing must use the same load evaluator.
B. All published applications can use different load evaluators.
C. All servers in the server farm that use Load Balancing can use the same load evaluator.
D. You cannot attach a load evaluator to a server.

Answer: B, C

QUESTION NO: 45
What are the four levels of Citrix Priority in the data collector election process? (Choose four)

A. Not preferred.
B. Always preferred.
C. Most preferred.
D. Preferred
E. Default preference.

Answer: A, C, D, E

QUESTION NO: 46
Which statements about Citrix shadowing are inaccurate? (Choose two)

A. The Shadow task bar can perform shadowing.
B. Computer Management can perform shadowing.
C. The Citrix Management Console can perform shadowing.
D. The Terminal Server Administration can perform shadowing.

Answer: B, D

QUESTION NO: 47
You are the administrator for users with different printers connected to their local workstations. How do you manage the drivers for all these printers?

A. Restrict bandwidth so only a few printers work properly.
B. Only allow network printing
C. Edit the printer driver compatibility list.
D. Have each ICA Client install the print driver within their session.

Answer: C

QUESTION NO: 48
By default, which TCP port allows NFuse to receive and send application data?

A. 8080
B. 80
C. 23
D. 1604

Answer: B

QUESTION NO: 49
What is the difference between the Citrix Server Administration's Shadow icon and the Shadow task bar?

A. There is no difference.
B. The Shadow task bar cannot log the beginning and end of a shadowed session, through the Shadow icon can.
C. The Shadow icon allows the shadowing of one user, while the Shadow task bar allows the shadowing of multiple users simultaneously.
D. The Shadow icon allows the shadowing of multiple users simultaneously, while the Shadow task bar allows the shadowing of only one user.

Answer: C

QUESTION NO: 50

Under the Citrix Connection Configuration's Advanced tab, in what units is the IDLE time counted?

A. Days
B. Hours
C. Seconds
D. Minutes

Answer: D

QUESTION NO: 51
Which if the following are true concerning Network Monitor? (Choose two)

A. Displays frames.
B. Is installed by default on Windows 2000 server.
C. Captures frames
D. Can be used to troubleshoot hard drive problems on the MetaFrame XP server.

Answer: A, C

QUESTION NO: 52
If you company used only-windows based terminals to connect to the MetaFrame XP servers, which ICA Virtual Channel would be used the most?

A. Drive Mapping.
B. Clipboard
C. ICA Display.
D. Printer Spooling.
E. Audio

Answer: C

QUESTION NO: 53
Which command is used to change the XML server port number?

A. Ctxxmlss.
B. Modify xml.
C. Ctxxmlport.
D. Change port /xml.

Answer: A

QUESTION NO: 54
During the installation of MetaFrame XP, you select "Work with legacy MetaFrame servers in the farm". What will this provide? (Choose two)

A. The ability to share the Citrix Management Console between MetaFrame XP and MetaFrame 1.8 for Microsoft NT 4.0, Terminal Server Edition.
B. The ability to share licenses between the MetaFrame XP servers and MetaFrame 1.8 servers for Microsoft NT 4.0, Terminal Server Edition.
C. The ability to provide the load balancing service between MetaFrame XP and MetaFrame 1.8 servers for Microsoft NT 4.0, Terminal Server Edition.
D. The ability to share all services and features from MetaFrame XP to MetaFrame 1.8 for Windows NT 4.0, Terminal Server Edition.

Answer: B, C

QUESTION NO: 55
Which statement about the local host cache is accurate?

A. You can locate printer information in the local host cache.
B. The local host cache stored its data in a flat file and is NOT encrypted.
C. The local host cache receives only the changes made in the data store.
D. The local host cache stored its data in the registry and its encrypted.

Answer: C

QUESTION NO: 56
If you want to view a log of all administrators that have accessed the Active Directory on your MetaFrame server, which log in the security settings would you view?

A. Process Tracking.
B. Directory service access.
C. Account logon events.
D. Logon events.

Answer: B

QUESTION NO: 57
Anthony is a new administrator of a Citrix server farm. He has installed ten applications for explicit user access. Users are complaining that one application in particular does not work correctly when choosing the CTRL-F2 sequence within the application. Anthony should instruct the users to:

A. Update the ICA client and retest.
B. Edit the hotkeys tab in the ICA client.
C. Run the application in a seamless window.
D. Change the MetaFrame XP server keyboard-mapping file.

Answer: D

QUESTION NO: 58
Which file on the MetaFrame XP Server is automatically updated with printer driver information?

A. WTSPRNT.INF
B. XPPRNT.INF
C. SYSTEM.INI
D. CLTPRINT.INF

Answer: A

QUESTION NO: 59
By default, what is the threshold for reporting not load for the total Disk Data I/O?

A. 0 kbps.
B. 1 kbps.
C. 20 kbps.
D. 100 kbps.

Answer: A

QUESTION NO: 60

Which utilities can be used to configure the autocreation of printers? (Choose two)

A. Server Administrator.
B. Citrix Connection Configuration.
C. Citrix Management Console.
D. Printer Administrator.

Answer: B, C

QUESTION NO: 61
What are the two primary Subsystems that the ICA Browser Subsystem utilizes? (Choose two)

A. Printer Management Subsystem.
B. Server Management Subsystem.
C. Distribution Subsystem.
D. Application Management Subsystem.
E. User Management Subsystem.

Answer: B, D

QUESTION NO: 62
Which options for administering client cache can be set within Program Neighborhood?

A. The maximum bitmap size to be cached.
B. The minimum bitmap size to be cached.
C. The directory where the images will be stored.
D. The persistent cache timeout parameter.
E. The maximum amount of disk space to be used for caching.

Answer: B, C, E

QUESTION NO: 63
How would you move MetaFrame XP server to another farm?

A. From the Citrix Management Console, right click the server node and click Remove Server from Farm.
B. Open a Command Prompt and use the Change Farm Command.
C. Right click Program Neighborhood and select Remove Farm.

D. The only way to remove a MetaFrame XP server from the farm is to uninstall the MetaFrame XP software.

Answer: B

QUESTION NO: 64
An ICA Client that is being shadowed can choose to end the shadowing process.

A. True
B. False

Answer: A

QUESTION NO: 65
Which statement about Application Embedding is true?

A. It requires an active browser window. If the browser window is closed, the connection to the application is lost.
B. It is limited to a 16-color depth.
C. It requires and active browser window, if the browser window is closed, the connection to the application is NOT lost.
D. It must be sized properly since scrolling will NOT function.

Answer: A

QUESTION NO: 66
The election process uses which protocol to determine the data collector?

A. UDP
B. ICA
C. TCP
D. SNMP

Answer: C

QUESTION NO: 67

You find an old server that has Windows 2000 installed, it has the necessary disk space to install MetaFrame XP. After MetaFrame XP is installed, the Citrix Management Console fails to appear on the MetaFrame Administrator Toolbar. Why?

A. You video card is in 16-color mode.
B. Your network card is not functioning.
C. You don't have enough space on the system partition.
D. You only have 128MB of RAM.

Answer: A

QUESTION NO: 68
What is a component of Application Server computing?

A. Remote presentation services protocol.
B. Centralized peripheral management.
C. Zero administration for Windows.
D. Windows-based client software.

Answer: A

QUESTION NO: 69
You administer a server farm that includes 20 MetaFrame XP servers located behind a firewall. In order for Internet users to access the published applications, you have opened TCP port 1494. Due to security concerns, you are asked to use another port and decide to use port 1524. What is the correct command for changing the ICA port number on the server?

A. ALTADDR /set: 1524
B. ICAPORT /port: 1524
C. TcpBrowserAddress= :/1524
D. UserAlternateAddress= :/1524

Answer: B

QUESTION NO: 70
Which is NOT a standard method for requesting a license activation key from Citrix for MetaFrame XP products?

A. Telephoning Citrix.
B. Sending a fax.
C. Sending an e-mail.
D. Using the Citrix License Activation Wizard with an Internet connection.

Answer: C

QUESTION NO: 71
Where are the Citrix print driver mappings maintained? (Choose two)

A. WTSPRNT.INF
B. WTSUPRN.INF
C. PRINTMON.INF
D. PRINTER.INI

Answer: A, B

QUESTION NO: 72
Which of the following is true when selecting Use Data Compression on Program Neighborhood?

A. It increases the amount of data sent from the server to the client.
B. It increases the amount of data sent from the client to the server,
C. It increases the amount of processor resources needed on the server to handle the compression and decompression of the data.
D. It increases the amount of memory needed on the client machine to handle the compression and decompression of the data.

Answer: C

QUESTION NO: 73
You are responsible for setting up printing in the MetaFrame XP server farm. How do you place the driver on another server?

A. Select Import the driver from another server from the Printer Management node in Citrix Management Console.
B. Reinstall the printer object.
C. Select replicate drivers from the Printer Management node in Citrix Management Console.

D. Map a share to the printer driver.

Answer: C

QUESTION NO: 74
Which statement is NOT true about MetaFrame XP?

A. MetaFrame uses an architecture in which applications and data are deployed, managed, supported and executed completely on the server.
B. Keystrokes, mouse click events, screen updates, and audio are passed between the client and the MetaFrame server across the network.
C. Applications running on a client computer can access data on the MetaFrame server via a default ICA connection.
D. Clients have access to applications on the MetaFrame server, without application rewrites or downloads.

Answer: C

QUESTION NO: 75
In Load Manager, on what does the Advanced evaluates base its results? (Choose three)

A. Page Swap.
B. Context Switches.
C. Disk Data I/O.
D. CPU Utilization.
E. Memory Usage.

Answer: A, D, E

QUESTION NO: 76
Which statement is NOT true about ICA Client Drive mapping for an ICA connection?

A. It can be disabled to a user at an ICA client workstation cannot access the local drives.
B. It can be configured to allow a user to map client drives manually.
C. It can be configured to remap the server drive letters automatically within an ICA connection to prevent conflicts between client and server drive letters.
D. It can be configured to map the client drive letters automatically when a user logs on to a MetaFrame XP server via an ICA connection.

Answer: B

QUESTION NO: 77
What statements are accurate? (Choose two)

A. If MetaFrame XP is already installed on a server, you can reinstall another copy of MetaFrame XP over it.
B. By default TCP/IP is installed on Windows 2000 Server.
C. If MetaFrame XP is already installed on a server, it must be uninstalled prior to reinstalling it.
D. You have to install the TCP/IP protocol on your MetaFrame XP Server manually.

Answer: A, B

QUESTION NO: 78
SpeedScreen Latency Reduction categorizes the applications running on the ICA with four behavioral types. What are they? (Choose four)

A. Text Edit Control.
B. Rich Edit Control.
C. Generic #2 Control
D. Generic #1 Control.
E. Edit Control.

Answer: B, C, D, E

QUESTION NO: 79
If your goal is to allow only 35 concurrent users access to Microsoft Word as published application on your MetaFrame XP server farm, which rule in Load Manager will perform the task?

A. License Threshold.
B. Application User Load.
C. Scheduling
D. Session Load.

Answer: B

QUESTION NO: 80
What will always cause a data collector election? (Choose two)

A. When a MetaFrame XP member server is shutdown.
B. When the current data collector is not responsive on the network.
C. When multiple data collectors are detected in the same network.
D. When a new MetaFrame XP server is started.

Answer: B, D
Reference: MetaFrame XP Administrator's Guide, Page 270

QUESTION NO: 81
You are the System Engineer for you company. You are installing MetaFrame XP on two of your servers. After the installation, you want to configure the machines for your specific needs. Which tab in the Citrix Management Console would you use to specify that these MetaFrame XP servers do not create browsers listening on an IPX network?

A. ICA Display.
B. Information
C. MetaFrame settings.
D. ICA Browsers.
E. Published Application.

Answer: C

QUESTION NO: 82
What statement best describes the definition of an ICA Client printer?

A. A printer that is connected to the MetaFrame XP server locally and is available to any ICA client device.
B. A printer that is configured to operate on many different ICA client devices.
C. A printer that is shared on the network by Windows 2000 servers and allows full control to all ICA clients.
D. A printer that is connected directly to the ICA client device and available though an ICA sessions.

Answer: D

QUESTION NO: 83
What happens to a connection attempt if there are no idle sessions available on the MetaFrame XP server?

A. The session is connected out will only have access to limited resources.
B. The connection is denied access to the MetaFrame XP server.
C. The connection is placed in suspend mode until there is an idle session available.
D. The connection is denied and the ICA Client account is disabled.

Answer: B

QUESTION NO: 84
What is the maximum theoretical screen resolution in pixels for an ICA session?

A. 1240x1024
B. 2700x2700
C. 6400x6400
D. 64000x64000

Answer: D

QUESTION NO: 85
Which statements about Application Launching are true?

A. When configuring Application Launching, a Web server must be installed.
B. Launched applications must be published.
C. The html code required for Application Launching can be created automatically using the Citrix Management Console utility.
D. The .ICA file used cannot be stored on a locally disk drive.

Answer: B

QUESTION NO: 86
Identify the minimum hard disk requirement for Citrix Management Console:

A. 20MB
B. 25MB
C. 40MB

D. 65MB

Answer: B

QUESTION NO: 87
By default, NFuse is a _____ architecture.

A. Two-tier.
B. Three-tier.
C. Four-tier.
D. Five-tier.

Answer: B

QUESTION NO: 88
In Load Manager, there is a rule called Disk Operation. By default, at what value will this rule report full load?

A. One operating per second.
B. 10 operations per second.
C. 100 operations per second.
D. 1000 operations per second.

Answer: C

QUESTION NO: 89
What information is copied to the server when a print driver is being auto-replicated? (Choose two)

A. Driver files.
B. Client permissions.
C. Queued print jobs.
D. Registry settings.

Answer: A, D

QUESTION NO: 90
How much memory does each idle session use in the port/listener model that MetaFrame XP implements?

A. 10 – 20k.
B. 200 – 300k.
C. 1 – 2M.
D. 3 – 4M.
E. 17 – 20M.

Answer: C

QUESTION NO: 91
Which font size if NOT supported with Speed Screen Latency Reduction?

A. 6 points.
B. 16 points.
C. 48 points.
D. 52 points.

Answer: D

QUESTION NO: 92
What statement is NOT correct?

A. Local printers are physically connected to the MetaFrame XP server.
B. Client printers are directly connected to the MetaFrame XP server out are configured for the ICA client.
C. Network printers are connected to an ICA client device and use Windows printer sharing.
D. MetaFrame XP uses IMA to gather information from each server in the farm about the printers attached to the server.

Answer: B

QUESTION NO: 93
In Citrix Management Console which is the default Bandwidth Limit in the Printer Management node?

A. Unlimited
B. 128Kbps
C. 65Kbps
D. 20Kbps

Answer: A

QUESTION NO: 94
What type of security key is randomly generated for each ICA session?

A. Blowfish
B. PGP
C. MD3
D. RC5
E. CHAP

Answer: D

QUESTION NO: 95
By default, what happens to autocreated printers on an ICA Client when an ICA session is closed?

A. They are deleted.
B. They are saved in the client's registry until the session is active again.
C. They are placed in the data store of the ICA Client device.
D. They are saved in the cache of the ICA Client device until the user logs on again.

Answer: A

QUESTION NO: 96
You are the administrator for a network that runs both MetaFrame 1.8 and MetaFrame XP servers. What utility would you use to manage Citrix licenses on your MetaFrame 1.8 server?

A. Citrix Server Administrator.
B. Citrix License utility.
C. Citrix Management Console.
D. Citrix Connection Configuration.

Answer: B

QUESTION NO: 97
What features of MetaFrame XP are NOT supported by ICA Pass-Through Client? (Choose two)

A. Printer Queue mapping.
B. Client Drive mapping.
C. LPT Port mapping
D. COM Port mapping.

Answer: C, D

QUESTION NO: 98
Heather has configured access to a published application through the Custom ICA Connections wizard. She would like to save small bitmaps below the default size. Where must she edit the default setting?

A. Do nothing, the bitmap cache is self-sizing.
B. Create a folder on the application partition.
C. Right click the Application icon and choose Properties.
D. The bitmap cache is not used with the Custom ICA Connections folder.

Answer: D

QUESTION NO: 99
Which component is always present in an ICA packet?

A. Frame Head and Tail.
B. Command
C. Reliable
D. Encryption

Answer: B

QUESTION NO: 100

When configuring load manager, how many evaluators can be assigned per server?

A. 1
B. 5
C. 12
D. 99

Answer: A

QUESTION NO: 101
What are the minimum server requirements to install MetaFrame XP (Choose three.)?

a. Windows 2000 SP1
b. Pentium processor or compatible
c. 64MB RAM
d. 128MB hard disk space
e. 256 color video

Answer: B, C, E

QUESTION NO: 102
What type of applications are standard applications?

A. non-POSIX applications
B. 32-bit Windows applications
C. OS/2 applications
D. 8-bit Windows applications
E. DOS applications

Answer: B, C, E

QUESTION NO: 103
Which connections will benefit the most from SpeedScreen Latency Reduction?

A. 0ms - 150ms
B. 150ms - 300ms
C. 250ms - 500ms
D. > 500ms

Answer: C

QUESTION NO: 104
In load manager on what process does the default evaluator base its result?

A. Server user load
B. Memory usage
C. Round robin
D. CPU utilization

Answer: A

QUESTION NO: 105
Which statement is accurate when installing MetaFrame XP on a member server?

A. There are 5 anonymous user account configured by default once MetaFrame XP is installed.
B. There are 10 anonymous user account configured by default once MetaFrame XP is installed
C. There are 15 anonymous user account configured by default once MetaFrame XP is installed
D. There are 20 anonymous user account configured by default once MetaFrame XP is installed

Answer: C
Reference: MetaFrame XP Administrators Guide, Page 195

QUESTION NO: 106
How many virtual channels does ICA support?

A. 24
B. 64
C. 1024
D. 32000
E. 32

Answer: E

QUESTION NO: 107
Which licensing task can be performed with Citrix Management Console (Choose three)

A. Monitor usage of product and connection license counts
B. Add licenses to a server farm
C. Suspend licenses from a server farm
D. Activate licenses

Answer: A, B ,D

QUESTION NO: 108
What are NOT advantages of Load Manager? (Choose three)

A. fault tolerance
B. increased scalability
C. data compression
D. increased system availability
E. network security

Answer: A, C, E

QUESTION NO: 109
In Citrix management console what functions about license node are true? (Choose three)

A. The addition of Citrix licenses
B. Assign product and connection licenses to servers
C. Set MetaFrame Product Codes
D. Remove Citrix licenses from server farm

Answer: A, B, D

QUESTION NO: 110
Which connection benefits LEAST from speedscreen latency?

A. 0-150
B. 150-300
C. 300-500

D. -500- -1000

Answer: A

QUESTION NO: 111
Which IMA subsystem is responsible for managing a user's session and providing support for hierarchal tree structure of servers in Citrix management console?

A. user management subsystem
B. server management subsystem
C. load management subsystem
D. ICA browser subsystem
E. application management subsystem

Answer: B

QUESTION NO: 112
Full control permission on an ICA connection grants users what? (Choose two)

A. Shadowing capability
B. Delete session info
C. Virtual channel config
D. Reconnect sessions

Answer: A, C

QUESTION NO: 113
Which version Java Virtual Machine version is required on NT 4.0 Workstation in order to run Citrix Management Console?

A. Java Virtual 1.0
B. Java Virtual 1.3
C. Java Virtual 2.0
D. Java Virtual 3.2

Answer: B

QUESTION NO: 114
What are the two features of SpeedScreen ? (Choose two)

A. Reduces network traffic
B. Supports multiple screen
C. Supports 24-bit color
D. Increases performance by up to 4 times.

Answer: A, D

QUESTION NO: 115
Select the true statements regarding Data Collectors (Choose two)

A. Every Citrix Server in each zone communicates between zones
B. Only each zone's primary and backup Data Collector communicates between zones
C. Data Collectors are elected if a new server joins the zone or the current Data Collector becomes unavailable
D. Only the Data Collector in each zone communicates between zones

Answer: C, D

QUESTION NO: 116
What Operating Systems can Installation Manager 2.0 be installed on? (Choose three).

A. 2000 Professional
B. 2000 Server with Terminal Services
C. NT 4.0 Server Terminal Server Edition
D. MetaFrame 1.8
E. MetaFrame XP

Answer: B, C, E

QUESTION NO: 117
What will happen if you neglect to activate your xp server before the grace period expires?

A. It will automatically register itself.
B. Users will get a pop up message indicating no licenses.
C. Users will not be able to connect

Answer: C

QUESTION NO: 118
Which protocol header reduces the size of the data stream, minimizing bandwidth utilization.

A. Frame Head
B. Encryption
C. Compression
D. Command
E. Frame trail

Answer: C

QUESTION NO: 119
Citrix management console does not allow you to……..

A. Shadow ica
B. Log off users
C. Manage printers
D. Configure published apps
E. Reboot all servers in the farm

Answer: E

QUESTION NO: 120
Which statements are accurate? (choose two)

A. The Persistent Store Subsystem updates the data store by sending messages.
B. MetaFrame XPe does not require the license to be installed or activated for LoadManager to operate.
C. IMA delivers core Subsystems that provide functionality to current and future Citrix products.
D. Citrix License Management enforces W2K Server license policies.

Answer: A, C

QUESTION NO: 121
When NFuse s installed on the Web server, sample Web sites are copied to the server. Which of the following is used to create a more customized NFuse Web site? (Choose two)

A. Published Application Manager
B. Citrix Management Console
C. Citrix substitution tags with support files
D. Citrix Web Site Wizard

Answer: C, D

QUESTION NO: 122
A Netscape client ____ (Choose three)

A. Needs to be installed manually
B. Downloads automatically when the user connects
C. Nothing if they are running v.3
D. Java VM
E. v4.1

Answer: A, B, C

QUESTION NO: 123
What does the Secure ICA Client send to the MetaFrame XP server during logon?

A. Public Key
B. Session Key
C. Private Key
D. Kerberos Key

Answer: C

QUESTION NO: 124
What are the two features of SpeedScreen ? (Choose two)

A. Reduces network traffic

B. Supports multiple screen
C. Supports 24-bit color
D. Increases performance by up to 4 times.

Answer: A, D

QUESTION NO: 125
Which two statements are correct? (Choose two)

A. The ICA protocol is on the Session layer of the OSI model
B. The ICA protocol is on the Presentation layer of the OSI model
C. MetaFrame XP will NOT create a Listener's Port if no Transport Protocol is installed at the time of MetaFrame XP set-up
D. Using Dial-in Asynchronous connection to a MetaFrame XP server enables connections to all other servers on the network

Answer: B, C

QUESTION NO: 126
Which Information is not in the Citrix Data Store?

A. Pooled License numbers
B. Printer Driver information
C. Load Management information
D. Client Network adapter settings
E. User configuration information for the server farm

Answer: C, D

QUESTION NO: 127
By default, which TCP port does SSL use to encrypt HTTP traffic?

A. 21
B. 401
C. 443
D. 1023
E. 1494

Answer: C

QUESTION NO: 128
By default threshold for reporting a Full Load for Memory Usage is?

A. 70%
B. 80%
C. 90%
D. 99%

Answer: C

QUESTION NO: 129
What is first loaded?

A. user profile is loaded first then the system profile
B. computer profile is loaded first then user profile
C. system profile first, then user profile
D. User profile is loaded first then default profile

Answer: C

QUESTION NO: 130
Which of the following is required for Load Manager to work? (Choose two)

A. Install and activate the Load Manager license
B. Install the correct MetaFrame XP product code
C. Configure Load Manager from within the Citrix Management console
D. Have at least three MetaFrame XP servers in the Server Farm

Answer: B, C

QUESTION NO: 131
What utilities does Citrix Management Console consolidate in Metaframe XP (Choose three)

A. Citrix Licensing

B. Citrix Server Administration
C. Citrix Connection Administration
D. Published Application Manager
E. Remote Application Manager

Answer: A, B, C

QUESTION NO: 132
By default, how many listener ports are created for each protocol

A. None
B. One
C. Two
D. Three
E. Four

Answer: B

QUESTION NO: 133
What statement is accurate?

A. By default, all users have permissions to the security tab of the event viewer
B. By default, all users have permission to access the DNS server log
C. By default, all users have permission to access the application log
D. By default, only administrators have permissions to access the security log of the event viewer

Answer: D

QUESTION NO: 134
You need to move a MetaFrame XP server to another farm. What command line utility would you use

A. modify /xpfarm
B. qfarm /move
C. cgfarm
D. chfarm
E. mfarm

Answer: D

QUESTION NO: 135
What statements are accurate?

A. Connection Licenses can be pooled
B. Connection Licenses cannot be pooled
C. Multiple Connection Licenses can exist in a server farm
D. Multiple Connection Licenses cannot exist in a server farm

Answer: A, C

QUESTION NO: 136
A Netscape client ____ (Choose three)

A. Needs to be installed manually
B. Downloads automatically when the user connects
C. Nothing if they are running v.3
D. Java VM
E. v4.1

Answer: A, B, C

QUESTION NO: 137
Speed Screen Latency Reduction categorizes the application running on ICA with which four behavior types? (Choose four)

A. Edit Control
B. Font Control
C. Rich Edit Control
D. Generic #1 Control
E. Generic #2 Control

Answer: A, C, D, E

QUESTION NO: 138
You need at least _____ MB of hard disk space to store MetaFrame XP files and online documents.

A. 50
B. 75
C. 100
D. 125

Answer: B

QUESTION NO: 139
What is the function of the Persistent Bitmap Cache?

A. It is a cache stored on the MetaFrame XP server that saves changes made to graphics on the client.
B. It is a cache created on the client's local disk to store frequently used bitmaps.
C. It is a cache created in the client's local RAM to store frequently used bitmaps.
D. It is a cache stored on the MetaFrame XP server to save frequently used bitmaps so they do not need to be retransmitted.

Answer: B

QUESTION NO: 140
Which command allows an administrator to configure ICA connection settings that determine graphics performance over the ICA Display virtual channel?

A. DSPSET
B. EDITID
C. SETCHAN
D. TWCONFIG
E. CHANGEVC

Answer: D

QUESTION NO: 141
The ICA client printers are automatically created for which clients? (Choose two)

A. ICA DOS Clients

B. ICA WIN 16 Clients
C. WinCE Clients
D. ICA WIN 32 Clients

Answer: A, C

QUESTION NO: 142
You have just completed the installation and configuration of your MetaFrame XP server. You have advised all users to select Save Password during logon. How will this affect the users? (Choose two)

A. From their current workstations, the users will not need to supply logon credentials during future MetaFrame XP logons.
B. If the user's local password is different from the MetaFrame password; the local password will be automatically changed.
C. This can cause a security problem of the users do not lock their workstations when not in use.
D. Regardless of the user's location, the user will not need to enter credentials when logging on to the MetaFrame XP server.

Answer: A, D

QUESTION NO: 143
What command is used to configure the IMA data store?

A. config /ds
B. dsmaint
C. mfmaint
D. chgfarm

Answer: B

QUESTION NO: 144
Which Subsystem makes it possible for other IMA Subsystems to work the same, regardless of whether an Oracle or SQL Server database is used?

A. Runtime Subsystem
B. Distribution Subsystem
C. Persistent Storage Subsystem

D. Server Management Subsystem
E. Application Management Subsystem

Answer: D(?)

QUESTION NO: 145
What statements below are accurate? (Choose three)

A. The Application Management Subsystem manages all Publishes Applications in the server farm.
B. The Runtime Subsystem allows external processes to communicate with IMA.
C. The Citrix License Management Subsystem enforces the Citrix License policies.
D. The Distribution Subsystem is responsible for the transferring of files to other Subsystems.
E. The Remote Procedure Call Subsystem managers users' sessions and provides support for a hierarchical structure of servers in the Citrix Management Console.

Answer:

QUESTION NO: 146
A printer attached to print servers outside the MetaFrame XP server farm cannot be accessed from within an ICA session until the print servers are imported.

A. True
B. False

Answer: B

QUESTION NO: 147
How does the Disable Client Audio Mapping affect users?

A. It prohibits users from copying .wav files from their local hard drive to the MetaFrame XP server.
B. It prohibits users from playing sounds in a MetaFrame XP session.
C. It prohibits users from playing sounds on their client device.
D. It prohibits users from copying .wav files from the MetaFrame server to their client device.

Answer: B

QUESTION NO: 148
Which statement is true about the logon process?

A. When a user logs on, the user's system policy is downloaded first, followed by the user's profile.
B. When a user logs on, the user's profile is loaded first and then the system policy is downloaded.
C. The computer policy is loaded prior to the user profile being loaded.
D. A default policy is loaded prior to the user profile being loaded.

Answer: A

QUESTION NO: 149
What statements are true concerning a data store? (Choose two)

A. By default the data store uses port 1524.
B. The data store cannot be backed up.
C. The data store server identifies the name of the server containing the data store.
D. A combination of direct and indirect access can be used within a server farm.

Answer: A, C

QUESTION NO: 150
What statements are accurate? (Choose two)

A. You can only auto-update the Windows 32-bit Client.
B. There can be no ICA connections to your MetaFrame XP server when you are configuring the ICA Client Distribution Wizard.
C. There can be no more than five users attempting to connect to the MetaFrame XP server with the ICA Client Distribution Wizard is being configured.
D. There can be no users attempting to connect to the MetaFrame XP server while the ICA Client Distribution Wizard is being configured.

Answer: A, D(?)

QUESTION NO: 151
You are a new administrator for the NFuse project. You want to use the NFuse ticketing feature. How do you ensure that this feature will work?

A. Use the NFuse Script Wizard.
B. Use the Ticketing Configuration tool.
C. Install the Citrix XML service on the MetaFrame Master Browser.
D. Install the Citrix XML service on all MetaFrame servers in the farm.

Answer: D

QUESTION NO: 152
Which statement describes a feature of the ICA Web Client Netscape Plug-in if the plug-in is not already installed?

A. The Plug-in does not need to be downloaded if you are using Netscape version 3.0 or above.
B. The Plug-in must be manually installed on a client workstation before it can access applications on MetaFrame XP server.
C. The Plug-in is automatically downloaded to the client workstation and executed each time the Netscape Navigator Web browser is used to access an ICA hyperlink on a Web page.
D. The Plug-in is automatically downloaded to the client workstation and registered with the Netscape Navigator browser the first time that the Web browser is used to access an ICA hyperlink on a Web page.

Answer: D

QUESTION NO: 153
What functions can you perform with the Citrix Management Console's License node? (Choose three)

A. Remove Citrix licenses.
B. Add Citrix licenses.
C. Activate Windows 2000 Server licenses.
D. Set the product code for MetaFrame XP.
E. Assign product license counts to specific MetaFrame XP servers.

Answer: A, B, D

QUESTION NO: 154
Which of the following cannot be done with the Citrix Management Console's Printer Management node?

A. Limit printer bandwidth for client printing.
B. Import network print servers in the server farm.
C. Assign printer priorities.
D. Replicate print drivers.
E. Assign printers to users.

Answer: A, C